

CHEMIPRO

AUTO CARE PRODUCTS





The CHEMIPRO brand covers a range of car care products aimed at comfortable, effective and safe car care.

The CHEMIPRO brand was created by engineers from the German company ATH&S GmbH with 20 years of experience and knowledge in the automotive industry. In 2024, for the purpose of global distribution and further development, the brand was acquired by TEXCO FZE, UAE.

Production sites are located in Sweden, Lithuania, China and Belarus. This ensures that only high-quality components are used in production and mixed according to the most modern formulae and recipes.

The CHEMIPRO products are produced in compliance with strict health and environmental requirements, all production sites are certified by the ISO 9001, ISO14001 environmental management system.

CHEMIPRO - car care products from professionals!

ANTIFREEZES

Antifreeze G11 green	p. 4
Antifreeze G11 blue	p. 5
Antifreeze G11 yellow	p. 6
Antifreeze G12 red	p. 7
Antifreeze G12+ red	p. 8
AbBlue®	p. 9

GREASES

High temperature bearing grease	p. 10
Lithium bearing grease	p. 11
Anti-corrosion grease (for truck centralized systems)	p. 12

AEROSOLS

Multipurpose anti-corrosion grease	p. 13
Brake cleaner	p. 14
Brake disc cleaner	p. 15
Carburetor cleaner	p. 16
Throttle body cleaner	p. 17
Liquid wrench	p. 18

WINDSHIELD WASHER FLUID


Concentrated windshield washer fluid -60°C	p. 19
Winter windshield washer fluid -10°C, -15°C, -20°C, -25°C	p. 20
Ready-to-use windshield washer fluid -15°C, -20°C, -25°C	p. 21
Ready-to-use SUMMER windshield washerfluid -15°C, -20°C, -25°C	p. 22


CLEANERS


Black tire	p. 23
Glass cleaner	p. 24
Upholstery cleaner	p. 25
Plastic cleaner	p. 26
Car panel plastic cleaner	p. 27
Car upholstery cleaner	p. 28
Tire cleaner	p. 29

HAND CLEANING PASTE


p. 30


 This ready-to-use ethylene glycol-based coolant is suitable for all types of vehicles, for which the car manufacturer specified using antifreeze G11. The initial crystallization temperature is not higher than -35°C , the boiling point is not less than 106°C (at atmospheric pressure).

-  - Removes excess heat from engine parts
- Protects engine against corrosion and deposits
- Prevents cavitation (bubble formation)
- Prevents rubber swelling

-  - Water-glycol mixture
- Additive package
- Green dye
- Methanol, nitrite, amine, phosphate — FREE!

 Meets British standard BS6580:2010.


 Made in Belarus.


 Provides optimal conditions for cooling and engine operation!




ITEM	VOLUME
CH004	1 kg / 0.9 l
CH006	5 kg / 4.2 l
CH015	10 kg / 8.9 l
CH030	20 kg / 17.8 l
CH033	245 kg / 210 l





 This ready-to-use ethylene glycol-based coolant is suitable for all types of vehicles, for which the car manufacturer specified using antifreeze G11. The initial crystallization temperature is not higher than -35°C , the boiling point is not less than 106°C (at atmospheric pressure).

 - Removes excess heat from engine parts
 - Protects engine against corrosion and deposits
 - Prevents cavitation (bubble formation)
 - Prevents rubber swelling.

 - Water-glycol mixture
 - Additive package
 - Blue dye
 - Methanol, nitrite, amine, phosphate — FREE!

 Meets British standard BS6580:2010.


 Made in Belarus.


 Provides optimal conditions for cooling and engine operation!




ITEM	VOLUME
CH037	1 kg / 0.9 l
CH036	5 kg / 4.2 l
CH035	10 kg / 8.9 l
CH038	20 kg / 17.8 l
CH034	245 kg / 210 l





 This ready-to-use ethylene glycol-based coolant is suitable for all types of vehicles, for which the car manufacturer specified using antifreeze G11. The initial crystallization temperature is not higher than -35°C , the boiling point is not less than 106°C (at atmospheric pressure).

-  - Removes excess heat from engine parts
- Protects engine parts against corrosion and deposits
- Prevents cavitation (bubble formation)
- Prevents rubber swelling.

-  - Water-glycol mixture
- Additive package
- Yellow dye
- Methanol, nitrite, amine, phosphate — FREE!

 Meets British standard BS6580:2010.


 Made in Belarus.


 Provides optimal conditions for cooling and engine operation!





ITEM	VOLUME
CH066	1 kg / 0.9 l
CH067	5 kg / 4.2 l
CH068	10 kg / 8.9 l





 This ready-to-use ethylene glycol-based coolant is suitable for all types of vehicles, for which the car manufacturer specified using antifreeze G12. The initial crystallization temperature is not higher than -35°C , the boiling point is not less than 106°C (at atmospheric pressure).

-  - Removes excess heat from engine parts
- Protects engine against corrosion and deposits
- Prevents cavitation (bubble formation)
- Prevents rubber swelling.

-  - Water-glycol mixture
- Additive package
- Red (pink) dye
- Methanol, nitrite, amine, phosphate — FREE!

 Meets British standard BS6580:2010.


 Made in Belarus.


 Provides optimal conditions for cooling and engine operation!





ITEM	VOLUME
CH005	1 kg / 0.9 l
CH007	5 kg / 4.2 l
CH014	10 kg / 8.9 l
CH029	20 kg / 17.8 l
CH032	245 kg / 210 l




 Ready-to-use premium coolant - LLC (Long Life Coolant)/SNF (Silicate Nitrite Free) - for use in cooling systems of all types of vehicles, for which the car manufacturer specified using antifreeze G12+. The initial crystallization temperature is not higher than -35°C.

-  - Removes excess heat from engine parts
- Protects engine parts and cooling systems against corrosion and deposits
- Prevents cavitation (bubble formation)
- Prevents rubber swelling
- Neutral to the materials of connecting pipes, hoses and gaskets
- Quick detection of potential leak points
- Extended service interval — **up to 5 years!**

-  - Water-glycol mixture
- Organic acid-based additive package (BASF) (OAT / carboxylate technology)
- Fluorescent dye
- Methanol, nitrite, amine, phosphate — **FREE!**


 Made in Belarus.


 Provides optimal conditions for cooling and engine operation!




ITEM	VOLUME
CH047	1 kg / 0.92 l
CH046	5 kg / 4.4 l





 Working fluid designed and suitable for modern diesel vehicles equipped with a selective catalytic reduction (SCR) system to reduce nitrogen oxides in the diesel exhaust emissions to Euro 4/5/6 standards.

 The principle of operation of the SCR system consists in the chemical reaction of nitrogen oxide contained in the exhaust emissions with ammonia. The AdBlue® reagent acts as an ammonia carrier. As a result of this reaction, completely harmless water vapour and nitrogen are formed.

 Demineralized water, urea.

 Made in Belarus.


 Classification level: AUS 32 ISO 22241-1


 Produced under the worldwide license of Verband der Automobilindustrie e.V. (VDA) (Germany).





ITEM	VOLUME
CH048	20 l





 Blue high temperature lithium complex bearing grease based on mineral oil for use in the temperature range from -30° to +180°C.

 - Gives the product a high degree of mechanical stability in a wide temperature range
- Used under severe operating conditions and increased vibrations
- Protects against corrosion.

 - Oxidation and corrosion inhibitors
- Anti-scoring and anti-wear additives.

 Made in Sweden.


 Classification level:
- ISO 12924: L-XC(F)DIB2
- DIN 51502: KP2N-30.


 - Suitable for automotive and industrial application
- Extends lubrication intervals
- Improves productivity





ITEM	VOLUME
CH008	390 g
CH010	2 kg
CH012	5 kg
CH013	18 kg




 Lithium bearing grease based on mineral oil for multi-purpose use in various conditions in the temperature range from -30° to +130°C.

 - Has a high margin of safety to high loads
- Protects against corrosion.

 - Oxidation and corrosion inhibitors
- Anti-scoring and anti-wear additives.

 Made in Sweden.

 Classification level:
- SO 6743: L-XCCIB2
- DIN 51502: KP2K-30.

 - Suitable for automotive and industrial application
- Can be used in wet environment!


390 g


ITEM	VOLUME
CH011	390 g





ANTI-CORROSION GREASE (FOR TRUCK CENTRALIZED SYSTEMS)


CHEMIPRO


 Anti-corrosion grease is grease for the centralized system based on low viscosity mineral oil, used in a wide temperature range: from -50° to +130°C.

 - Provides excellent mobility in centralized systems at low temperatures
- Protects against corrosion.

 - Antioxidants
- Corrosion inhibitors
- Anti-wear additives.

 Made in Sweden.

 Classification level:
- SO 12924: L-XE(F)CCA00
- DIN 51502: KP00K-50.

 - Suitable for automotive and industrial application
- Possibility to use in centralized systems that require higher flow rates of greases.





ITEM	VOLUME
CH009	900 g (1 l)





MULTIPURPOSE ANTI-CORROSION GREASE (AEROSOL)


CHEMIPRO

 Multipurpose anti-corrosion grease (transparent/slightly yellow) is used to neutralize corrosion in various metal joints (bolts, nuts, etc.). Penetrates into the structure of rust and destroys it in a short time. Prevents repeated corrosion spots.

-  - Dissolves rust
- Helps quickly unscrew rusted connections
- Cleans
- Displaces moisture
- Lubricates
- Protects against wear and tear
- Keeps quiet operation of actuated parts.

 Spray the grease onto the surface to be treated and wait a few minutes.

 Made in China.

-  - Suitable for automotive and industrial application
- Can be used in wet environment!




ITEM	VOLUME
CH016	100 ml
CH017	200 ml
CH018	300 ml
CH019	400 ml




BRAKE CLEANER (AEROSOL)


CHEMIPRO

 This brake cleaner is designed for easy and effective cleaning and degreasing of the brake system. It can also be used for cleaning other structural parts of the car: elements of the clutch system, gearbox, engine parts, etc.

 Cleans and degreases from: oils, fats, resins, tar residues.

 - Combination of solvents
- ACETONE — FREE!

 Made in China.

 - Leaves no residue
- Can be applied to various surfaces:
car parts, floor, upholstery, etc.
- Suitable for multipurpose use:
in cars, enterprises, and household.





ITEM	VOLUME
CH020	500 ml
CH021	600 ml




BRAKE DISC CLEANER (AEROSOL)

CHEMIPRO

 This brake disc cleaner is a professional product for high-quality cleaning of brake system elements from tar, carbon deposits, oil and other contaminants. Increases braking efficiency and reduces braking distance.

 Made in Russia.

-  - Cleans and degreases brakes and any metal parts in 1-2 minutes
- Improves braking efficiency
- Eliminates clunking and creaking when braking
- Contains safe solvents
- Evaporates quickly, leaves no residue
- Recommended for use in every brake system maintenance





ITEM	VOLUME
CH132	400 ml
CH130	520 ml
CH131	650 ml





CARBURETOR CLEANER AEROSOL

CHEMIPRO

 This carburetor cleaner (aerosol) is used to remove dirt on all outer and inner surfaces of the carburetor and throttles. The product is used in addition to fuel system cleaners designed for filling into the tank - for those carburetor elements that can not be treated with fuel additives (air jets, diffusers).

-  - Cleans and degreases from: oils, fats, resins, tar residues
- Removes carbon deposits from the internal surfaces, channels, metering orifice of the carburetor.

 Made in China.

-  - Restores engine performance
- Saves money and time for cleaning without disassembly
- Helps reduce fuel consumption by removing dirt
- Reduces exhaust toxicity
- as a result of removing dirt
- Effective for cleaning throttles of multipoint injection systems.




ITEM	VOLUME
CH022	400 ml
CH023	500 ml




THROTTLE BODY CLEANER (AEROSOL)

CHEMIPRO

 This throttle body cleaner is used for in-place cleaning of the throttle assembly from tar, varnish and carbon deposits. Provides good mobility of parts. Acts quickly, washes away contaminants with a directed flow.

 Made in Russia.

-  - Quickly removes stubborn dirt from the throttle assembly and carburetor
- Restores idle speed stability
- Improves cold start and responsiveness to pressing the accelerator pedal
- Normalizes fuel consumption
- No dismantling of components or mechanical action required
- Suitable for highly effective cleaning of any metal parts, assemblies and units




ITEM	VOLUME
CH133	400 ml
CH134	520 ml
CH135	650 ml




LIQUID WRENCH (AEROSOL)

CHEMIPRO

 This liquid wrench is a specialized product for easy dismantling of stuck and rusted joints and assemblies. Has a high penetrating ability, due to which it works in 1-2 minutes.

 Made in Russia.

-  - Significantly facilitates unscrewing and dismantling of parts
- Prevents thread breakage
- Displaces moisture and prevents corrosion
- Removes bitumen, oil and fuel oil contamination
- Protects electrical equipment from oxidation
- Comfortable to spray due to the extension tube





ITEM	VOLUME
CH138	210 ml
CH136	335 ml
CH137	400 ml
CH139	650 ml




CONCENTRATED DE-ICER WINDSHIELD WASHER FLUID


CHEMIPRO

 Ethanol-based winter concentrated windshield washer fluid prevents icing of the car windshield and does not freeze in the washer tank and in the nozzles at temperatures down to -60°C . In temperate climates, depending on the ambient temperature, it can be used in a diluted form according to the proportions, see table

 - Cleans and degreases from: road dirt, oils and fats
- Safe to use for rubber and plastic parts.

 - METHANOL — FREE!

 Made in Lithuania.

 - Improves vision and road visibility:
• provides clear, film-free visibility through the windshield
• protects from roadway and windshield glaring
- Convenient and easy-to-use container.




ITEM	TEMPERATURE	VOLUME
CH002	-60°C	1 l


CONCENTRATE	WATER	FREEZING T°
1	1	-24°C
1	2	-13°C
1	3	-8°C





WINTER WINDSHIELD WASHER FLUID


CHEMIPRO

 Ready-to-use ethanol-based winter windshield washer fluid in the range of -10°C , -15°C , -20°C , -25°C prevents icing of the car windshield and does not freeze in the washer tank and in the nozzles at temperatures down to -10°C , -15°C , -20°C , -25°C respectively.

 - Cleans and degreases from: road dirt, oils and fats
- Safe to use for rubber and plastic parts.

 - Water
- High quality ethanol
- Surfactants
- METHANOL — FREE!

 Made in Lithuania.

 - Improves vision and road visibility:
• provides clear, film-free visibility through the windshield
• protects from roadway and windshield glaring
- Convenient and easy-to-use container





ITEM	TEMPERATURE	VOLUME
CH051	-10°C	4 l
CH050	-15°C	4 l
CH003	-20°C	4 l
CH001	-25°C	4 l



READY-TO-USE WINTER WINDSHIELD WASHER FLUID


CHEMIPRO


 Ready-to-use ethanol-based winter windshield washer fluids in the range -15°C, -20°C, -25°C prevent icing of the car windshield and do not freeze in the washer tank and in the nozzles at the relevant temperatures.

-  - Effectively clean and degrease windshield and headlights from road dirt, dust, oils, and fats
- Safe for paintwork surfaces, rubber and plastic parts of the car
- Do not cause fogging of polycarbonate headlights



 - METHANOL — FREE!

 Made in Russia.


-  - Improves vision and road visibility:
- provides clear, film-free visibility through the windshield
 - protects from roadway and windshield glaring
 - Convenient and easy-to-use container


ITEM	TEMPERATURE	VOLUME
CH039	-15°C	4 l
CH040	-20°C	4 l
CH041	-25°C	4 l




READY-TO-USE SUMMER WINDSHIELD WASHER FLUID


CHEMIPRO

 This ready-to-use SUMMER windshield washer fluid is designed to effectively clean car windshield and headlights from traces of insects, pollen, leaves, as well as from various other organic and oil-fat types of contaminants.

-  -Effectively clean and degrease windshield and headlights from road dirt, dust, oils, and fats
- Safe for paintwork surfaces, rubber and plastic parts of the car
- Do not cause fogging of polycarbonate headlights

 - METHANOL — FREE!

 Made in Russia.

-  - Improves vision and road visibility:
- provides clear, film-free visibility through the windshield
- protects from roadway and windshield glaring
- Convenient and easy-to-use container





ITEM	VOLUME
CH141	4 l




BLACK TIRE (AEROSOL)


CHEMIPRO

 Gives the tires and other rubber parts of the car a rich black colour.

 - Helps to increase the elasticity of rubber
- Protects against aging and colour loss
- Leaves no stains

 - METHANOL — FREE!

 Made in Russia.

 -A special sprayer ensures that the product is applied over the entire side surface of the tire at once
-Beautiful appearance of the tires


650 ml


ITEM	VOLUME
CH120	650 ml




GLASS CLEANER

CHEMIPRO

 Designed for cleaning car windows. Quickly and effectively removes dirt from glasses, mirrors, plastic and chrome parts. Cleans the windows from road dirt, dust, oil stains, insect tracks. It is safe for paintwork, plastic and rubber.

-  -Cleans glasses and mirrors quickly and effectively
- Leaves no residue or cloudy film
- Economical due to its high cleaning capacity

 Made in Russia.



ITEM	VOLUME
CH125	800 ml



UPHOLSTERY CLEANER

CHEMIPRO



Designed for cleaning fabric and velour upholstery, as well as carpets in the car interior.



- Removes dirt quickly and effectively
- Refreshes the appearance
- Leaves a fresh scent



Made in Russia.



- Aesthetic and well-groomed car interior appearance
- Suitable for home use





ITEM	VOLUME
CH121	800 ml





PLASTIC CLEANER

CHEMIPRO

 Designed for cleaning the internal and external plastic and vinyl surfaces of the car from contamination.

-  -Removes dirt quickly and effectively
-Refreshes the colour of plastic
-Polishing and antistatic effect

 Made in Russia.

-  -Refreshes the appearance of car elements
-Suitable for home use



ITEM	VOLUME
CH119	800 ml



PLASTIC CLEANER

CHEMIPRO



A modern solution to clean the car interior plastic and rubber elements of dirt effectively.



- Cleans plastic and rubber interior surfaces
- Removes dust, prevents it from settling
- Gives a natural matte look to the treated surfaces
- Flavours the air in the car cabin



- Highly effective surfactants
- Silicone-free!



Made in Lithuania.



- Suitable for various types of interior surfaces: both plastic and rubber
- Clean and aesthetic car interior appearance



ITEM	VOLUME
CH043	500 ml



UPHOLSTERY CLEANER

CHEMIPRO



An effective cleaner for car upholstery, rugs, furniture upholstery, and fabrics.



- Cleans and sanitizes interior upholstery
- Restores the colour of fabrics
- Leaves no stains



- Highly effective surfactants



Made in Lithuania.



- Aesthetic and well-groomed car interior appearance
- Antibacterial effect after treatment
- Additional application area of the product: suitable for home use — cleaning furniture, curtains, and fabrics



ITEM	VOLUME
CH042	500 ml



TIRE CLEANER

CHEMIPRO



Designed to refresh the appearance of car tires – removes dirt, restores the gloss.



- Removes various types of contamination – dust, dirt, bitumen, asphalt, road reagents
- Protects tires from deleterious substances contained in dirt
- Gives tires a well-groomed appearance



- Highly effective surfactants



Made in Lithuania.



- User's comfort – minimizes cleaning effort
- Saves time and money spent to extend tire life
- Aesthetic and well-groomed car appearance





ITEM	VOLUME
CH045	500 ml





HAND CLEANING PASTE


CHEMIPRO


 This hand paste is designed to effectively remove particularly stubborn, difficult-to-remove oil and fat stains. When dosed in small quantities, perfectly removes: oil, fuel oil, bitumen, graphite, metal dust, coolant, lubricants.

-  - Effectively and safely cleans hands
- Moisturizes the skin
- Has a pleasant lemon smell.

-  - Contains mild abrasive of NATURAL ORIGIN - wood powder
- Sand-FREE!

 Dermatological safety of the product is confirmed by the Declaration "On Safety of Perfumes and Cosmetic Products."

 Made in Russia.

 Highly efficient, safe, economical, eco-friendly!



ITEM	VOLUME
CH122	650 ml
CH124	5 l
CH123	11 l



CHEMIPRO

THANK YOU FOR YOUR ATTENTION!

